优乐 果蝇诱饵

优乐 果朝透视含有蛋白质,可吸引酵性与蜂性的果顿。

优乐 要编选证据介电器可有效数条需要编。

推荐使用法:

只需使用五分之一适合的虫药份量并喷射果蝇诱饵在特定地方。

产品	10公升水	
优乐 果蝇诱饵	150 毫升	
虫药	推荐量	

另外附加Nu-Film17可防止 优乐 果蝇诱饵的液失同时减低农药退化过程。 由于果蝇还新油炒金物 脾財果碾透煤的时间由尽于五百至早上十

直会得到更佳的效果。 使某一情形压合混合意用的 Malathion, Spinosad, Trichlorfon, Fipronil, Aziphos Methyl, Imidacloprid, Carbaryl and Chlorpyrifos. 30.60 ml 使某事解除用实验验证表验。 解解 2 可能验验 2

噴射范围越间效果越好.

常質適齢毎4-7天一直到你改 遊島在東天總計

优 乐 里福泽州不济合加于首英李畴创

当遇到严重的果蝇侵袭。其它控制方法雷配合与 优乐 诱饵。



36, Laluán Perindustrian Silibin 2, Off Jalan Jelapang, 30020 Ipoh, Perak Darul Ridzuan, Malaysia. Tel: (6) 05-5285281 Fax: (6) 05-5284281 Website: www.mycrop.com.my E-mail: mycrop@po.iaring.my

Manufactured by:

MILLER CHEMICAL &
FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

Nu-Lure Insect Bait

- Nu-Lure Insect Bait contains protein hyfrolysates which are highly attractive to both male and female fruit flies.
- Nu Lure Insect Bait with insecticide is effective in killing fruit flies.
- Just one fifth (1/5) of the normal volume of insecticide application need to be used. Only need to be sprayed in selected spot.

Usage recommendation:-

Product	In 10 Litres water
Nu Lure	150 ml
Insecticide	as recommended

Nu lure should be added last in the spray tank. Agitate well before application.

Adding Nu Film 17 (adjuvant) improves the efficacy of Nu Lure Bait by preventing washouts and reduction in the degradation.

- Nu-Lure is compatible with insecticides like Malathion, Spinosad, Trichlorfon, Fipronil, Aziphos Methyl, Imidacloprid, Carbaryl and Chlopyrifos.
- * For best results apply spray between 8 10 a.m.
- * Apply between 30-60 ml at the basal trunk or skirt area of

the tree

- * Repeat applications every 4 7 days until harvest.
- Avoid spraying during rainy weather.

 * For maximum efficacy avoid using Nu Lure with fungicides.
- When high population exist then other methods of control should be used in conjunction with Nu-Lure.

1 Litre